

ELECTRIC

VIVENTE | EVO | IGNITE XL | OPTI-V | OPTIMYST

REAL  FLAME

It is easy to understand the allure of a fireplace.

Providing warmth, ambience, and a mood of relaxation and calm, a fireplace can raise the character of any residential or commercial space. They can improve the look and feel of any room as a decorative feature or provide a supplemental heating source that helps reduce energy costs. If chosen with care, a fireplace can become the centrepiece of a memorable interior design, and add significant value to a property.

Versatile Visuals to suits all spaces


However, installing a traditional gas or wood fireplace is sometimes not achievable due to lack of access to fuel, cost of installation, or other factors. With their realistic flame effects and advanced features, Real Flame's electric fireplaces are making the ambience of flame accessible to all consumers – homeowners, renters, and commercial clients alike.

Effective and efficient heating

Real Flame's electric fireplaces are market leading in terms of visual appearance, design, and heating technology; resulting in a lower cost, green, functional, and stylish option. All Real Flame electric fireplaces can be operated without heat, providing a relaxing flame effect year-round for minimal cost.

Real Flame's patented technology

The patented Revillusion®, Opti-V, and Optimyst flame effects are unique in the market. From linear, to portrait, to double-sided configurations, the Real Flame range offers endless possibilities to create a stunning feature in your space.





VIVENTE 750 | 1000 | 1500

The clever design enables the choice of creating a 1, 2, or 3-sided configuration when the product is being installed, while anti-reflective glass avoids unwanted reflections impacting upon the stunning flame effect. It is this Revillusion flame effect that truly sets Vivente apart – by removing the central mirror seen in traditional electric fires, Revillusion increases the visible depth of the firebox and allows the firebox lining to be changed to suit your interior design theme.



4 Viewing configurations included as standard



Patented Revillusion® technology doubles the visual depth of the firebox



Flame Connect App available for your smartphone



7-day programmable timer



2 fuel bed options – traditional ceramic log set and clear crystals



Anti-reflective glass



8 ambient lighting themes built-in, with the option to fully customise your own theme through the app



Colour-changing flame effects



4 back panel options to suit your décor




ComfortSaver - energy efficient 1.5kW heater, offering up to 11% saving



Real flame crackling sound effect



SmartSense technology to detect room movement




FLAME CONNECT APP

Take full control of your electric fire with the easy and convenient interface, all from the palm of your hand. Simply scan the QR code on the installation manual and connect to Bluetooth to communicate directly with your fire.

By linking ownership of your fire with your account you can prevent unauthorised product access, and enable guest mode for temporary access to other Flame Connect trusted users. The app has support for multiple languages and a choice of Fahrenheit and Celcius readout.


The app is available on Android and iOS.

MINIMUM FRAMEOUT DIMENSIONS



	VVT75-AU	VVT100-AU	VVT150-AU
Y	764	1014	1514

UNIT DIMENSIONS



	VVT75-AU	VVT100-AU	VVT150-AU
X	753	1003	1503


BACK PANEL OPTIONS



Stone



Ribbed



Tiled



Black

MULTIPLE FUEL BED THEMES



Green



Blue



Red



Light Blue




Purple

and many more



EVO 750 | 900 | 900P

MINIMUM FRAMEOUT DIMENSIONS



MODEL	J	K	L
EVO750-AU	318	778	665
EVO900-AU	318	930	665
EVO900P-AU	318	930	778

UNIT DIMENSIONS



MODEL	A	B	C	D	E	F	G	H	I
EVO750-AU	654	306	746	792	578	674	1378	978	978
EVO900-AU	654	306	898	944	578	674	1524	1080	1080
EVO900P-AU	768	306	898	944	691	788	1524	1080	1080

OPTIONAL ACCESSORIES




Glass
EVOGLASS900P-AU
EVOGLASS900-AU
EVOGLASS750-AU



Door
EVODOOR900P-AU
EVODOOR900-AU
EVODOOR750-AU



Trim
EVO750TRIM-AU
*Only available for EVO750-AU



The EVO range offers endless possibilities to create a stunning feature in your space. Choose from 750mm, 900mm and 900mm Portrait sizes and various light setting options to elevate your space and transform your room

Patented Revillusion® flame technology doubles the visual depth of the firebox

Flame with or without warmth for year-round comfort and enjoyment

Thermostatically controlled, 2kW supplemental heating for your space

Ceramic Nordic logs and coals paired with a glowing ember bed to create a warming electric flame effect

Set the mood with additional lighting for a firebox glow

Optional accessories for a more defined finish of the fireplace


IgniteXL™ is more lifelike and visually stunning than anything that came before it. With patented flame and heat technology. Enjoy the flawless panoramic views that ignite the senses from any angle, transforming the look and feel of any room.

The on-wall mounting is the alternative solution to recessed installation and ideal for rental properties or wall with shallow depths. The fully black powder coated solid steel surround will give an elegant finish to the room.



IGNITE XL 50" | 74" | 100"


MINIMUM FRAMEOUT DIMENSIONS



MODEL	A	B	C*	D
XLF50	1287	406	600	160
XLF74	1897	406	600	160
XLF100	2557	406	600	160

*C has no minimum, these measurements are for ideal viewing only

UNIT DIMENSIONS



MODEL	H	I	J	K	L	M	N
XLF50	419	1306	1278	381	402	110	147
XLF74	419	1915	1887	381	402	110	147
XLF100	419	2576	2548	381	402	110	147

OPTIONAL ACCESSORIES



Compatible with all XLF models

LF50DWS-KIT

Includes loose river rock, one large and one small piece of driftwood.

LF74DWS-KIT

Includes loose river rock, one small and two large pieces of driftwood.

LF100DWS-KIT

Includes loose river rock, two large and two small pieces of driftwood

IGNITE XL 50" INSTALLATION KIT


✕ Flexible installation
Accessible to all consumers – homeowners, renters, and commercial clients alike

🔌 'Plug and play'
Surface mounted (plug-in) installation

🔪 Solid steel structure
Elegant cutting edge finish with solid steel surround

↔ Edge-to-edge
Flawless panoramic view of the dazzling flame

UNIT DIMENSIONS



MODEL	A	B	C
XL50IK	174	402	1297







Opti-V® is the redefinition of the electric fireplace, expanding the realm of possibilities where traditional wood or gas flame installations are not possible. Design without limitations to create a flame feature that completes your perfect room. Available in two sizes, the Opti-V Single and Double transform even the most sophisticated of rooms into positively stunning spaces guaranteed to impress and inspire.





OPTI-V SINGLE & DOUBLE




MINIMUM FRAMEOUT DIMENSIONS



	PGF10	PGF20
A	900	1500
B	380	380
C	695 - 697	1315 - 1317
D	249 - 251	249 - 251
E	650 - 1100	650 - 1100
F	69	69
G	800	1420

- *1 - Minimum
- *2- E has no minimum, these measurements are for ideal viewing only


UNIT DIMENSIONS



	H	I	J	K	L	M	N
PGF10	450	736	760	694	345	248	70
PGF20	450	1356	1380	1314	345	248	70


OPTIMYST 500 & 1000

MINIMUM FRAMEOUT DIMENSIONS



*1 - 229mm if the legs are closed fully
241mm if the legs are open fully

UNIT DIMENSIONS



	A	B	C	D	E
CAS 500	508	354	226	300	236
CAS 1000	1017	354	226	300	236

ACCESSORIES



CAS 500 Log Kit supplied as standard




CAS 1000 Log Kit (includes two log sets) supplied as standard




CAS 500 Media Tray supplied as standard



CAS 1000 Media Tray supplied as standard





Looking deceptively real, an Opti-myst fire will captivate you from the moment you see it. The fully 3-dimensional effect creates authentic looking 'flames' and 'smoke' – an illusion so effective that it is difficult to distinguish from the real thing.

Realistic Optimyst flame and smoke effect and also the only water-based flame technology which is safe to touch

Customisable installation length, number of visible sides, flame shape & media bed

Complete sensory experience with the sound of wood fire

Ideal installation for any location and any surface or finishing material



Glen Dimplex Australia Pty Ltd
8 Lakeview Drive,
Scoresby, VIC 3179
T 1300 554 155
E flame@glendimplex.com.au



Glen Dimplex New Zealand Ltd
PO Box 58473,
Botany, Auckland
T 0800 666 2824
E info@realflame.co.nz



Real Flame is a registered trademark of Glen Dimplex Australia Pty Ltd, all rights reserved.

Please refer to the Real Flame manuals for latest specs and up to date installation information.
RF_ELECTRIC 23

Authorised Real Flame Dealer


The Company of Fire
36 Kareena Rd Miranda NSW 2228
info@thecompanyoffire.com.au
02 8513 6201

realflame.com.au | realflame.co.nz

IGNITE XL BOLD

1200 | 1800 | 2500

REAL  FLAME

A modern living room with a large window, a red sofa, a coffee table, and a fireplace. The room is brightly lit, and the fireplace is the central focus. The text is overlaid on a red background on the left side of the image.

Introducing the bolder version of the popular XLF range from Real Flame. Ignite XL BOLD electric fireplace is available in 1200, 1800 and 2500mm widths and can be configured as a 1 sided, 2 sided or 3-sided fireplace display. From a modest sized apartment to an imposing living space the BOLD has a range of style options to suit each type of design and application. The fireplace can be daisy chained for a much larger commercial application.

The unrivalled multiflame fire effect provides an elegant flame display with different ambient light settings to elevate the ambience of your space. Ambient light settings are fully customisable on the Flame connect app. The XL Bold comes standard with logs and river rocks media to bring all elements of an actual fireplace into a sustainable alternative. An optional Australian woodland inspired, Alpine Forest media is provided to transform the appearance of the fireplace.

The fireplace has a large viewing window to ensure you relish every bit of that mesmerising flame pattern. The fireplace is equipped to provide supplemental heating to your room with a click of a button. Heating temperatures and modes can be controlled to switch from heat boost mode to an eco-heating mode. All these multitude of settings can be controlled either with the on-board hidden touch control, the remote control, or the Flame Connect App (available for Android and iOS).



IGNITE XL BOLD

1200 | 1800 | 2500



4 Viewing configurations included as standard.



8 ambient lighting themes built-in, with the option to fully customise your own theme through the app.



Adjustable flame speed



Multi colour flame effects



Flame Connect App available for your smartphone.



Choose from 3 different size options



2 fuel bed options – Logs and river rocks as standard and optional Alpine forest media.



ComfortSaver - energy efficient 2kW heater, offering up to 11% saving.



Ambient light sensor for auto brightness control




8-hour programmable timer.

FLAME CONNECT APP

Take full control of your electric fire with the easy and convenient interface, all from the palm of your hand. Simply scan the QR code on the installation manual and connect to Bluetooth to communicate directly with the fire.

By linking ownership of your fire with your account you can prevent unauthorised product access, and enable guest mode for temporary access to other Flame Connect trusted users. The app has support for multiple languages and a choice of Fahrenheit and Celcius readout.

The app is available on Android and iOS.



MULTIPLE FUEL BED MOODS & THEMES



Green



Blue



Purple



Pink



Red



Orange



Yellow

plus many more

MEDIA BED ACCESSORIES


Driftwood & River Rock



Alpine Forest




MINIMUM FRAMEOUT DIMENSIONS




Bay Installation

MODEL	A	B	C
BXLF1200-AU	1257	616	295



Left / Right Installation

MODEL	A	B	C
BXLF1800-AU	1895	616	295





Front Installation

MODEL	A	B	C
BXLF2500-AU	2534	616	295

UNIT DIMENSIONS

MODEL	A
BXLF1200-AU	1246
BXLF1800-AU	1883
BXLF2500-AU	2521



VISIT WWW.REALFLAME.COM.AU FOR MORE INFORMATION. REFER TO THE MANUAL FOR MOST UP TO DATE TECHNICAL INFORMATION.



Glen Dimplex Australia Pty Ltd
8 Lakeview Drive,
Scoresby, VIC 3179
T 1300 554 155
E flame.care@glendimplex.com.au



Glen Dimplex New Zealand Ltd
PO Box 58473,
Botany, Auckland
T 0800 666 2824
E info@realflame.co.nz



Real Flame is a registered trademark of Glen Dimplex Australia Pty Ltd, all rights reserved.

Please refer to the Real Flame manuals for latest specs and up to date installation information.
RF_IGNITEXLBOLD 23

Authorised Real Flame Dealer

The Company of Fire
36 Kareena Rd Miranda NSW 2228
info@thecompanyoffire.com.au
02 8513 6201

realflame.com.au | realflame.co.nz